

SURFACE MOUNTED PROFILES

RECESSED PROFILES

CORNER PROFILES

LUMINAIRES / LARGE PROFILES

TILE PROFILES

DRYWALL PROFILES



FENIX
PROFILES
ARDET NEC CONSUMITUR

ALUMINIUM LED PROFILES


- ✓ Excellent price-performance ratio
- ✓ High stock availability and fast delivery
- ✓ Technical and commercial support from experts
- ✓ Precise OEM production for your brand or customer project
- ✓ Uncomplicated, professional & on-time project management
- ✓ Low minimum order quantities for customised profile systems
- ✓ Unique, solution-orientated product design for sustainable light lines
- ✓ Guaranteed, reliable quality in accordance with EU standards with minimal tolerances

A-Series: Surface & Recessed Mounting

Exo-A1_13

ULTRAFLAT
13mm (max. LED width)
6.00 × 15.00mm

200cm



Aluminium Profiles

- 612000113306 200cm ALUMINIUM
- 622000113306 200cm WHITE RAL9016
- 632000113306 200cm BLACK RAL9005

Cover PC41

200 cm	10 m	80 m
-----------	---------	---------

Endcaps PETG-A1_13



Mounting Clips




90 pcs



Exo-A2_13

NARROW
13mm (max. LED width)
15.00 × 15.00mm

200cm



Aluminium Profiles

- 612000113315 200cm ALUMINIUM
- 622000113315 200cm WHITE RAL9016
- 632000113315 200cm BLACK RAL9005

Cover PC41

200 cm	10 m	80 m
-----------	---------	---------

Endcaps PETG-A2_13



Mounting Clip




30 pcs



Profile Exo-A1F_13

ULTRAFLAT + WINGS
13mm (max. LED width)
6.00 × 15.00/20.00mm

200cm



Aluminium Profiles

- 612000213306 200cm ALUMINIUM
- 622000213306 200cm WHITE RAL9016
- 632000213306 200cm BLACK RAL9005

Cover PC41

200 cm	10 m	80 m
-----------	---------	---------

Endcaps PETG-A1F_13




90 pcs



Profile Exo-A2F_13

NARROW + WINGS
13mm (max. LED width)
15.70 × 15.00/20.00mm

200cm



Aluminium Profiles

- 612000213315 200cm ALUMINIUM
- 622000213315 200cm WHITE RAL9016
- 632000213315 200cm BLACK RAL9005

Cover PC41

200 cm	10 m	80 m
-----------	---------	---------

Endcaps PETG-A2F_13



Mounting Clip



28 pcs




Covers (polycarbonate) are available in opal satinised (65%), black (55%) and transparent (85%)

Profile Exo-V1_12

OPEN CORNER
12mm (max. LED width)
21.00 × 21.00mm

200cm



Aluminium Profiles

- 612000528610 200cm ALUMINIUM

Cover PC71

200 cm	10 m	200 m
-----------	---------	----------

Cover PC72 Half-Round

200 cm	10 m	45 m
-----------	---------	---------

Endcaps

PETG-V1_12_F Flat
PETG-V1_12_HR Half-Round



Mounting Clip




60 pcs



Profile Exo-V2_14

CORNER
14mm (max. LED width)
21.00 × 21.00mm

200cm



Aluminium Profiles

- 612000514112 200cm ALUMINIUM
- 622000514112 200cm WHITE RAL9016
- 632000514112 200cm BLACK RAL9005

Cover PC45

200 cm	10 m	80 m
-----------	---------	---------

Mounting Clip



Endcaps PETG-V2_14




28 pcs



Profile Exo-A0_8

ULTRASLIM MINI
8mm (max. LED width)
8.00 × 10.00mm

200cm



Aluminium Profiles


- 612000108308 200cm ALUMINIUM
- 622000108308 200cm WHITE RAL9016
- 632000108308 200cm BLACK RAL9005

Cover PC43 2m 10m 100m

200 cm	10 m	100 m
-----------	---------	----------

Endcaps PETG-A0_8 ALUMINIUM / WHITE / BLACK

Mounting clips SPS-A0_8



90 pcs



The endcaps are available with and without cable hole.

Covers (polycarbonat) are available in opal satinised (TL 65%), black (TL 55%) and transparent (TL 85 %)





TL = Translucency, degree to which the light passes through the cover

Suspension kit in Silver, White & Black
Connectors for professional mounting

Profile Exo-Ti1_32

LUMINAIRE PROFILE
32mm (max. LED width)
50.00 × 40.00mm

200cm 300cm



200 cm

- 612000432402 200cm ALUMINIUM
- 622000432402 200cm WHITE RAL9016
- 632000432402 200cm BLACK RAL9005
- 642000432402 200cm CHAMPAGNE

300 cm

- 613000432402 300cm ALUMINIUM
- 623000432402 300cm WHITE RAL9016
- 633000432402 300cm BLACK RAL9005
- 643000432402 300cm CHAMPAGNE

Wide Cover PC32

200 cm	300 cm
-----------	-----------

Endcaps PETG-Ti1_32


Outside Clip

Inlay iLA, needed
with inside clip (grey pvc)

Inlay:
612000732402 200cm ALU
613000732402 300cm ALU



2m	3m
16 pcs	12 pcs




N-Series : Wide & Large Profiles

Exo-N1_16

ULTRAFLAT WIDE
16mm (max. LED width)
8.00 × 20.00mm

200cm 300cm



Aluminium Profiles

- 612000118008 200cm ALUMINIUM
- 622000118008 200cm WHITE RAL9016
- 632000118008 200cm BLACK RAL9005

Cover PC45

200 cm	10 m	80 m
-----------	---------	---------

Mounting Clips



Endcaps PETG-N1_16




90 pcs

Exo-N2_16

WIDE HIGH
16mm (max. LED width)
20.00 × 20.00mm

200cm 300cm



Aluminium Profiles

- 612000118020 200cm ALUMINIUM
- 622000118020 200cm WHITE RAL9016
- 632000118020 200cm BLACK RAL9005

Cover PC45

200 cm	10 m	80 m
-----------	---------	---------

Endcaps PETG-N2_16



Mounting Clips




20 pcs

WIDE1 Exo-N3_24

EXTRA WIDE
24mm (max. LED width)
15.00 × 30.00mm

200cm



Aluminium Profiles

- 612000129815 200cm ALUMINIUM
- 622000129815 200cm WHITE RAL9016
- 632000129815 200cm BLACK RAL9005

Cover PC51 Flat

200 cm	10 m	80 m
-----------	---------	---------

Cover PC52 High

200 cm

Endcaps PETG-N4_24 FLAT PETG-N4_24 HIGH




60 pcs

WIDE2 Exo-N4_24

HIGH + WIDE
24mm (max. LED width)
30.00 × 30.00mm

200cm



Aluminium Profiles

- 612000129830 200cm ALUMINIUM
- 622000129830 200cm WHITE RAL9016
- 632000129830 200cm BLACK RAL9005

Cover PC51 Flat

200 cm	10 m	80 m
-----------	---------	---------

Cover PC52 High

200 cm

Endcaps PETG-N4_24 FLAT PETG-N4_24 HIGH



Mounting Clips


14 pcs

Covers (polycarbonate) are available in opal satinised (65%), black (55%) and transparent (85%)

Exo-NLN1_14

ULTRAFLAT
14mm (max. LED width)
7.40 × 17.15mm

200cm 300cm



Aluminium Profiles

- 612000114707 200cm ALUMINIUM
- 622000114707 200cm WHITE RAL9016
- 632000114707 200cm BLACK RAL9005
- 613000114707 300cm ALUMINIUM
- 623000114707 300cm WHITE RAL9016
- 633000114707 300cm BLACK RAL9005

Cover PC31




Endcaps
PETG-NLN1_14

90 pcs

Exo-NLN2_12

BASIC
12mm (max. LED width)
15.00 × 17.15mm

200cm 300cm



Aluminium Profiles

- 612000115214 200cm ALUMINIUM
- 622000115214 200cm WHITE RAL9016
- 632000115214 200cm BLACK RAL9005
- 613000115214 300cm ALUMINIUM
- 623000115214 300cm WHITE RAL9016
- 633000115214 300cm BLACK RAL9005

Cover PC31




Endcaps
PETG-NLN2_12

40 pcs

Exo-NLN1F_14

ULTRAFLAT + WINGS
14mm (max. LED width)
8.00 × 14.75/23.50mm

200cm



Aluminium Profiles

- 612000214707 200cm ALUMINIUM
- 622000214707 200cm WHITE RAL9016
- 632000214707 200cm BLACK RAL9005
- 612000214707 300cm ALUMINIUM
- 622000214707 300cm WHITE RAL9016
- 632000214707 300cm BLACK RAL9005

Cover PC31



Endcaps
PETG-NLN1F_14

90 pcs


Cover

	SATINIZED 65%
	TRANSPARENT 85%
	BLACK COVER 55%

Exo-NLN2F_12

BASIC + WINGS
12mm (max. LED width)
13.80 × 17.15mm

200cm



Aluminium Profiles

- 612000215214 200cm ALUMINIUM
- 622000215214 200cm WHITE RAL9016
- 632000215214 200cm BLACK RAL9005
- 612000215214 300cm ALUMINIUM
- 622000215214 300cm WHITE RAL9016
- 632000215214 300cm BLACK RAL9005

Cover PC31




Endcaps
PETG-NLN2F_12

30 pcs

Sustainable use of raw materials with recycled aluminium
Composition of 6063-T5 Aluminium - anodized 15 microns


Silicium	Minimum 0,20% Maximum 0,60%
Iron	No minimum, maximum 0,35%
Copper	No minimum, maximum 0,10%
Mangan	No minimum, maximum 0,10%
Magnesium	Minimum 0,45% Maximum 0,90%
Chrome	No minimum, maximum 0,10%

This high quality aluminium can be drilled and sawed
with suitable machines and at appropriate speed




Profile Exo-F0_10

END PROFILE
10mm (max. LED width)
9.85 × 29.70mm



612000810010 200cm ALUMINIUM

Cover PC43



Endcaps PETG-F0_10


**Applications**

Vertically aside tiles in bathrooms, kitchens, toilets
Horizontally architectural lighting lines

24 pcs

**Profile Exo-F1H_16**

END PROFILE WIDE
16mm (max. LED width)
10.80 × 40.04mm



612000838010 200cm ALUMINIUM

Cover PC45



Endcaps PETG-F1H_16


**Applications**

Vertically aside tiles in bathrooms, kitchens, toilets
Horizontally architectural lighting lines

20 pcs


**Profile Exo-F1_16**

MIDDLE PROFILE WIDE
16mm (max. LED width)
10.80 × 58.04mm



612000858010 200cm ALUMINIUM

Cover PC45




Endcaps PETG-F1_16



20 pcs

**Profile Exo-F2_15**

CORNER TILE PROFILE
15mm (max. LED width)
45.00 × 45.00mm



612000861815 200cm ALUMINIUM

Cover PC45



Endcaps PETG-F2_15




16 pcs



Covers (polycarbonate) are available in opal satinised (65%), black (55%) and transparent (85%)


Profile Exo-T3H_16

END PROFILE
 16mm (max. LED width)
 14.09 × 50.14mm



612000650113 200cm ALUMINIUM

Cover PC45



Endcaps PETG-T3/T3H_16




20 pcs



Profile Exo-T3_16

CENTER PROFILE
 16mm (max. LED width)
 14.09 × 78.04mm




612000678013 200cm ALUMINIUM

Cover PC45



Endcaps PETG-T3/T3H_16




16 pcs



Profile Exo-T4_11

WALLWASHER
 11mm (max. LED width)
 80.00 × 12.70mm




612000611614 200cm ALUMINIUM

Cover PC75



Endcaps PETG-T4_11



16 pcs



Profile Exo-T5_16

CORNER DRYWALL PROFILE
 16mm (max. LED width)
 55.00 × 55.00mm




612000619518 200cm ALUMINIUM

Cover PC45



Endcaps PETG-T5_16



12 pcs




Extra long covers available for several profiles.


10m
80m
100m

Extra long for perfect and uninterrupted diffusion of the lighting.

 Total quantity profiles per box/packaging



Cover PC43



Cover PC41




Cover PC45




Cover PC51




Cover PC75



Cover PC71




Cover PC72



Cover PC32



Cover PC31



A-Series

Exo-A1_13	6.00×15.00mm
Exo-A2_13	15.00×15.00mm
Exo-A1F_13	6.00×15.00/20.00mm
Exo-A2F_13	15.00×15.00/20.00mm

A-Series MINI

Exo-A0_8	8.00×10.00mm
----------	--------------

V-Series

Exo-V1_12	21.00×21.00mm
Exo-V2_12	21.00×21.00mm

Ti-Series

Exo-Ti1_32	50.00×40.00mm
------------	---------------

N-Series

Exo-N1_16	8.00×20.00mm
Exo-N2_16	20.00×20.00mm
Exo-N3_16	15.00×30.00mm
Exo-N4_16	15.00×30.00mm

NL-Series

Exo-NLN1_14	8.00×17.15mm
Exo-NLN1F_14	20.00×17.15mm
Exo-NLN2_12	15.00×17.15/23.50mm
Exo-NLN2F_12	15.00×17.15/23.50mm

F-Series

Exo-F0_10	9.85 × 29.70mm
Exo-F1H-16	10.80 × 40.04mm
Exo-F1_16	10.80 × 58.04mm MID
Exo-F2-15	45.00 × 45.00mm CORNER

DW-Series

Exo-T3H_16	14.09 × 50.15mm END
Exo-T3-16	14.09 × 78.04mm MID
Exo-T4_11	80.00 × 12.07mm WALL
Exo-T5-16	55.00 × 55.00mm CORNER

Size (HxW)	Cover (Lengths)	LEDstrip	Qty / Carton
------------	-----------------	----------	--------------

Design Series

PC41 2m 10m 80m	max. 12mm	30 pcs
PC41 2m 10m 80m	max. 12mm	30 pcs
PC41 2m 10m 80m	max. 12mm	30 pcs
PC41 2m 10m 80m	max. 12mm	30 pcs

Mini Profile

PC43 2m 10m 100m	max. 8mm	40 pcs
------------------	----------	--------

Corner Profiles

PC71 Round 2m 10m	max. 12mm	30 pcs
PC72 Flat 2m 10m	max. 12mm	30 pcs
PC45 2m 10m 45m	max. 12mm	30 pcs

Extra Wide Architectural Profile

PC32 2m	max. 8mm	16 pcs
---------	----------	--------

Large & Wide Profiles

PC45 2m	max. 16mm	90 pcs
PC45 2m	max. 16mm	30 pcs
PC51 Flat PC52 High	max. 24mm	28 pcs
PC51 Flat PC52 High	max. 24mm	14 pcs

Basic Profiles

PC45 2m	max. 14mm	90 pcs
PC45 2m	max. 14mm	30 pcs
PC51 Flat PC52 High	max. 12mm	30 pcs
PC51 Flat PC52 High	max. 12mm	30 pcs

Tile Profiles

PC43 2m 10m 100m	max. 10mm	20 pcs
PC43 2m 10m 100m	max. 16mm	20 pcs
PC45 2m 10m 80m	max. 16mm	20 pcs
PC45 2m 10m 80m	max. 14mm	16 pcs

Drywall Profiles

PC45 2m 10m 80m	max. 16mm	20 pcs
PC45 2m 10m 80m	max. 16mm	20 pcs
PC75 2m	max. 10mm	20 pcs
PC45 2m 10m 80m	max. 16mm	16 pcs

